



DELL UltraSharp U2718Q LED display 68.6 cm (27") 3840 x 2160 4K Ultra HD

DELL

UltraSharp

FN84K

U2718Q

UltraSharp U2718Q. 68.6 cm (27"), 3840 x 2160, HD 4K Ultra HD, LCD. 8, 16:9, 178°, 178°. USB, USB Gen 1 (3.1 Gen 1). VESA, .,



DELL		DELL	
DELL (DELL) *	68.6 cm (27")	DELL (DELL) *	0.3 W
DELL *	3840 x 2160	DELL (DELL)	99 W
HD *	4K Ultra HD	DELL (DELL)	0.3 W
DELL *	16:9	DELL (DELL)	24.32 W
DELL *	LED	DELL (DELL)	100 - 240 V
DELL *	IPS	DELL (DELL)	50 - 60 Hz
DELL	DELL LED	DELL	1.5 A
DELL *	X	DELL	44 kWh
DELL	350 cd/m ²	DELL	
DELL *	8	DELL (DELL) T - T	0 - 40 °C
DELL	DELL	DELL (DELL) T - T	-20 - 60 °C
DELL *	DELL	DELL (DELL) (H-H)	10 - 80%
DELL	3840 x 2160	DELL (DELL) H - H	5 - 90%
DELL	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 1440p, 2160p	DELL	0 - 5000 m
DELL	1300:1	DELL	0 - 12192 m
DELL *	178°	DELL	
DELL	178°	DELL (DELL)	611.3 mm
DELL *	1730	DELL (DELL)	200.3 mm
SmartResponse	5	DELL (DELL)	540.2 mm
DELL	0.1554 x 0.1554 mm	DELL (DELL)	6.55 kg
DELL	163 ppi	DELL (DELL)	611.3 mm
DELL	10 - 137 kHz	DELL (DELL)	49.1 mm
DELL	49 - 86 Hz	DELL (DELL)	356.2 mm
DELL	59.7 cm	DELL (DELL)	3.7 kg
DELL	33.6 cm	DELL (DELL)	7.3 mm
DELL	99.9%	DELL (DELL)	7.3 mm
DELL	X	DELL (DELL)	9 mm
DELL 3D	X	DELL	2.53 kg

OS			Dimensions	
OS NVIDIA G-SYNC™ OS * *	✗		OS	208 mm
AMD FreeSync *	✗		OS	700 mm
OS			OS	444 mm
OS *	✗		OS	9.2 kg
OS *	✗		CD-ROM OS	✓
OS			OS	OS, OS PE
OS			OS	
OS *	OS		OS	✓
OS *	OS, OS		OS	AC OS, DisplayPort, Mini DisplayPort, USB
OS	OS, OS		OS	✓
OS			OS	✓
OS USB OS *	✓		OS	✓
USB OS	3.2 Gen 1 (3.1 Gen 1)		OS	
USB OS	USB Type-B OS		OS	EPEAT Gold, OS
OS	1		OS	
USB Type-A OS	4		OS	LCD
DVI	✗		ON / OFF	✓
HDMI	1		OS TV	✗
DisplayPort OS	1		OS	A
Mini DisplayPort OS	1		OS	TCO, RoHS, BFR/PVC
OS	✓		OS	
HDCP OS	✓		OS	2.68 kg
AC OS	✓		OS (PE) OS	45 g
OS			OS	
VESA OS *	✓		OS	101.6 cm
OS	100 x 100 mm		OS	121.9 cm
OS *	✓		OS	100.8 cm
OS *	✓		OS	121.7 kg
OS	13 cm		OS / OS	12 pc(s)
OS	✓		OS	2 pc(s)
OS	✓		OS	6 pc(s)
OS	-45 - 45°		OS	12 pc(s)
OS	✓		OS	208 mm
OS	-5 - 21°		OS	700 mm
OS (OSD)	✓		OS	444 mm
OS	✓		OS	9.2 kg
OS			OS	1 pc(s)
OS			OS	
OS *	30 W			

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.