



HP Compaq 8000 Elite SFF Intel® Core™ 2 Duo E8400 2 GB DDR3-SDRAM 320 GB Intel® GMA 4500M Windows 7 Professional PC

品牌 : HP

产品编号: WB657ET#ABU?LE1851W

系列 : Compaq 8000 Elite SFF

HP Compaq 8000 Elite SFF. 处理器: 3 GHz, 处理器: Intel® Core™ 2 Duo, 处理器: E8400. 内存: 2 GB, 内存: DDR3-SDRAM, 内存频率: 1333 MHz. 硬盘: 320 GB, 光驱: DVD Super Multi 刻录. 显卡: Intel® GMA 4500M. 操作系统: Windows 7 Professional. 机箱类型: SFF. 类型: PC. 重量: 7.6 kg



规格		兼容性	
处理器 *	Intel	兼容性	✓
处理器 *	Intel® Core™ 2 Duo	Intel® InTru™ 3D 技术	✗
处理器 *	E8400	Intel® Insider™	✗
处理器核心	2	Intel® 集成 HD 显卡	✗
处理器核心	2	Intel® Clear Video Technology	✗
处理器 *	3 GHz	Intel® 快速存储技术	✗
处理器	LGA 775 (Socket T)	Intel® VT-x 虚拟化技术 (EPT) 支持	✗
处理器	6 MB	兼容性	✓
处理器	L2	兼容性	✓
处理器	1333 MHz	兼容性	✓
处理器	FSB	Intel® 快速存储技术	✗
FSB 支持	✗	Intel® 兼容性	✓
处理器	45 nm	兼容性	✓
处理器	64 位	Intel® 兼容性	✗
处理器	Intel Core 2 Duo E8000 Series	Intel® Flex 兼容性	✗
处理器 codename	Wolfdale	Intel® 兼容性	✗
处理器 TDP	65 W	Intel® 兼容性	✓
处理器	72.4 °C	Intel® 兼容性	✗
处理器	410 M	Intel® 兼容性	✗
处理器	107 mm²	兼容性 MID 兼容 Intel® 兼容性	✗
处理器	E0	兼容性	37.5 x 37.5 mm
CPU 插槽 (插槽/插槽)	9	兼容性	SLB9J
兼容性 ECC 支持	✗	兼容性 IMC 支持	45 nm
兼容性		Intel® 兼容性/兼容性	✓
兼容性 *	2 GB		

CPU		CPU 詳細情報	
Core i7-4790 (64-bit) *	16 GB	Intel® Virtualization Technology (VT-x)Intel® 超頻技術	✓
メモリ	DDR3-SDRAM	Intel® 超頻技術	✗
メモリ	2 x 1 GB	Intel® 超頻技術 (RST)	✗
メモリ	1333 MHz	Intel® ARK ID	33910
ストレージ		Intel® Turbo Boost Technology (超頻技術)	✗
ストレージ *	320 GB	Intel® 超頻技術	✗
ストレージ *	DVD Super Multi 倍速	Intel® Quick Sync Video Technology (超頻技術)	✗
ストレージ	SATA II	Intel® My WiFi 技術	✗
ストレージ	7200 RPM	Intel® 超頻技術	✗
ストレージ	✗	Intel® 超頻技術	✗
グラフィック		Intel® 超頻技術	✗
グラフィック *	✓	グラフィック	✗
グラフィック *	Intel® GMA 4500M	電源	
グラフィック *	グラフィック	消費電力	240 W
ネットワーク		温度	
LAN *	✓	動作温度 - T	-30 - 60 °C
Wi-Fi *	✗	動作湿度 (H-H)	10 - 90%
周辺機器		重量	
USB 2.0 *	10	重量 *	338 mm
VGA/D-SUB	1	重量 *	378 mm
DVI	✗	重量 *	100 mm
PS / 2	2	重量 *	7.6 kg
LAN RJ - 45	1	外形寸法	
前面パネル	✓	高さ	✓
前面パネル	1	幅	
前面パネル	1	奥行き	
拡張スロット		奥行き *	✓
PCI Express x 1	2	奥行き (mm)	47 cm (18.5")
PCI Express x16	1	奥行き	1366 x 768 mm
冷却		奥行き	1000:1
冷却 *	SFF	奥行き	250 cd/m²
冷却	冷却	奥行き	160°
ディスプレイ		奥行き	160°
ディスプレイ	HD	電源	
ディスプレイ *	PC	電源	90 - 264 / 100 - 240 VAC, 50/60 Hz, 47 - 63 Hz
OS		接続	PCI Express x16
OS *	Windows 7 Professional	接続	SATA 3.0Gb/s
OS	Windows XP Professional	接続	✓
セキュリティ		接続	LCD
Intel® 超頻技術	✗	接続 TV	✗
Intel® 64	✓	接続	✗
Intel® SpeedStep	✓	接続	1 x PCI
		接続	1 x 5.25", 1 x 3.5"
		接続	Intel 82567LM Gigabit Network
		接続	✗

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-OCT-2025. Prints or copies of Information are only valid on the printed Publication date