

ASUS F540NA-GQ069T Intel®Celeron® 90NB0HG1-M01130 N3350 39.6 cm (15.6") HD 4 GB 1 TB HDD Wi-Fi 5 (802.11ac) Windows 10 Home

品牌 : ASUS

型号 : 90NB0HG1-M01130

系列 : F540NA-GQ069T

ASUS F540NA-GQ069T. 品牌: ASUS, 型号: 90NB0HG1-M01130. 处理器: Intel®Celeron® 90NB0HG1-M01130, 主频: N3350, 主频: 1.1 GHz. 屏幕尺寸(英寸): 39.6 cm (15.6"), HD 屏幕: HD, 分辨率: 1366 x 768 像素. 内存: 4 GB. 存储: 1 TB, 存储类型: HDD. 操作系统: Windows 10 Home. 重量: 约 2 kg.



规格		规格说明	
品牌 *	ASUS	Intel® 处理器	✗
型号 *	F540NA-GQ069T	Intel® 芯片组	✗
处理器 *	Intel® Celeron® N3350	Intel® Smart Response Technology (SRT)	✗
屏幕尺寸 *	39.6 cm (15.6")	Intel® 固态硬盘	✓
分辨率 *	1366 x 768 像素	Intel® 固态硬盘	✗
内存 *	4 GB	Intel® Turbo Boost Technology (Turbo Boost)	✗
HD 屏幕	HD	Intel® Small Business Advantage (SBA)	✗
LED 背光	✓	Intel® 固态硬盘	✓
屏幕比例	16:9	Intel® SpeedStep	✓
品牌 *	Intel	Intel® 固态硬盘	✓
型号 *	Intel® Celeron® N3350	Intel® Clear Video Technology	✓
处理器 *	N3350	Intel® 固态硬盘	✓
主频	2	Intel® InTru™ 3D 摄像头	✗
主频	2	Intel® Insider™	✗
主频	2.4 GHz	Intel® Quick Sync Video Technology (Quick Sync)	✓
主频 *	1.1 GHz	Intel® 固态硬盘	✓
主频	5 GT/s	Intel® 固态硬盘	✗
主频	2 MB	Intel® 固态硬盘	✓
主频	L2	Intel® 固态硬盘	✓
主频	BGA 1296	Intel® VT-x 虚拟化技术 (EPT)	✓
主频	14 nm	Intel® 固态硬盘	✓
主频	64 位	Intel® 固态硬盘 (SIPP)	✗
主频	Intel Celeron N3000 series	Intel® OS Guard 固态硬盘	✓
主频	codename Apollo Lake	Intel® MID 固态硬盘	✓
主频	TDP 6 W	Intel® 64	✓
主频	SDP 4 W	固态硬盘	✓
主频	105 °C	固态硬盘	✓
PCI Express 固态硬盘	6	固态硬盘	✓
PCI Express 固态硬盘	2.0	固态硬盘	✓
PCI Express 固态硬盘	1x2+2x1, 4x1	固态硬盘	✓
固态硬盘 ECC 固态硬盘	✗	固态硬盘	24 x 31 mm
		CPU 固态硬盘	1

CPU		Memory	
RAM *	4 GB	Memory	✓
Cache	16 MB	Memory / Cache	✓
Cache (64-bit) *	4 GB	Intel® Cache	✓
Storage		Security	
RAM *	1 TB	Intel® Smart Idle Technology	✗
Cache *	HDD 16 MB	Intel® Secure Boot Technology	✓
Cache	1	Intel® Smart Connect Technology	0.00
Cache	1 TB	version	Intel®
Cache	✓	Intel® Identity Protection Technology	1.00
Graphics		Connectivity	
Cache *	Cache	Intel®	0.00
Cache *	✓	Intel® Secure Boot Technology	1.00
Cache *	✗	Intel® Stable Image Platform Program	0.00
Cache	Intel® HD Graphics	Intel® Secure Key Technology	1.00
Cache *	Intel® HD Graphics 500	Intel® Small Business Advantage (SBA)	0.00
Cache	200 MHz	Intel® Virtualization Technology (VT-x)	✓
Cache	650 MHz	Intel® (RST)	✗
Cache	650 MHz	Intel® ARK ID	95598
Cache	8 GB	Cache	✓
Cache	12	Power	
Cache	0x5A85	Cache	3
Audio		Cache - *	33 Wh
Cache	SonicMaster	Performance	
Cache	✓	Cache	33 W
Network		Cache	50 - 60 Hz
Wi-Fi	✓	Cache	100 - 240 V
Wi-Fi *	Wi-Fi 5 (802.11ac)	Cache	1.75 A
Cache	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Cache	19 V
Cache	2x2	Dimensions	
Ports		Cache	381 mm
USB 2.0 *	2	Cache	251 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1	Cache	27.2 mm
Cache *	1	Cache *	2 kg
HDMI *	1	Weight	
Cache/Cache	✓	Cache	✓
OS		Cache	BIOS, HDD, Cache, Cache
Cache	Cache	Features	
Cache *	✓	Cache	381 mm
Windows	✓	Cache	251 mm
Software		Cache	27.2 mm
Cache *	Windows 10 Home	Cache *	2 kg
Security		Power	
Cache	✗	Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Weight	
		Cache	✓
		Cache	BIOS, HDD, Cache, Cache
		Features	
		Cache	381 mm
		Cache	251 mm
		Cache	27.2 mm
		Cache *	2 kg
		Power	
		Cache	3
		Cache - *	33 Wh
		Performance	
		Cache	33 W
		Cache	50 - 60 Hz
		Cache	100 - 240 V
		Cache	1.75 A
		Cache	19 V
		Dimensions	



4712900955156

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.