

## □ Precision 7750 Intel® Core™ i7 i7-10850H □□□□ 43.9 cm (17.3") Full HD □□□□□ 32 GB DDR4-SDRAM 1 TB SSD □□□ NVIDIA Quadro RTX 4000 Wi-Fi 6 (802.11ax) Windows 10 Pro □□, □□

DELL DELL DY18G

**\_\_\_\_ : 7750** 







| 00  |   |   |   |
|---|---|---|---|
| 0000 *<br>0000 *                                  | 0000  | 0000<br>WWAN 000000   | 5.1<br>000  |
| 00 *<br>000®00™0000                               |   | 000000<br>USB 3.2 Gen 1 (3.1 Gen 1) Type-A []   | 2   |
| 000<br>00000(000) *<br>000000 *<br>HD 00<br>00000 | 43.9 cm (17.3") 1920 x 1080 []  x  Full HD [][][][] 16:9 0.198 x 0.198 mm 127 ppi | □□□□ * □□□□LAN□RJ - 45□□□□ HDMI□□□ * HDMI□□ Mini DisplayPort□□□ Thunderbolt™ □□□™□3 □□□□□ □□□□□/□□□□□ SmartCard□□ | 1<br>1<br>2.0<br>1<br>2                               |
| 0000000/00<br>00000000                            | 35 🖂<br>60 Hz   | 00<br>0000  | 000   |
| 000   |   | 0000 *  | ✓   |
| 00000 * 00000 * 00000 * 000000 * 0000000          | Intel Intel® Core™ i7 10th gen Intel® Core™ i7 i7-10850H 6 12                     | 00<br>00000<br>00000<br>00000<br>000000 *   | 6400<br>0000000<br>Microsoft Office<br>Windows 10 Pro |
|   | 5.1 GHz   | 0000000   |   |
| 00000 * 000000 0000000 000000 00000               | 8 GT/[] 12 MB 10000 00000 0 BGA 1440  | Intel® Evo™ □□□□□□□ Intel®□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  | ×  *  *  *  *  *  *  *  *  *  *  *  *  *              |

|   |   | 0000000  |   |
|---|---|--|---|
|   | 64□□  | Intel®Flex[]]]]]]  | ✓   |
| codename  | Comet Lake  | Intel®   | ✓   |
|   | 45 W  | Intel® 🔲 🖂 🖂 🖂   | /   |
|   | 35 W  | Intel® VT-x [] [] [] [] [[EPT] [] [  | 1   |
| 000000000   | 100 °C  |  |   |
| PCI Express DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD                                   | 16  | Intel® [][]  | <b>✓</b>  |
| PCI Express   | 3.0   | Intel® [][][][] (SIPP)   | 1   |
| PCI Express [][][]  | 1x16, 2x8, 1x8+2x4  | Intel® OS Guard [[[]][[]]  | ✓   |
|   |   | Intel® Software Guard Extensions   | /   |
| 00000 *   | 32 GB   |  |   |
| 000000  | DDR4-SDRAM  | Intel® 64  | 1   |
| 000000  | 2933 MHz  |  | 1   |
|   | SO-DIMM   |  | ✓   |
| 0000  | 2 x 16 GB   |  | ✓   |
| 0000  | 4x SO-DIMM  | 000000   | 42 x 28 mm  |
| (64-bit) *  | 128 GB  |  | SSE4.1, SSE4.2, AVX 2.0   |
|   |   | CPU()  | 1   |
|   |   |  | ×   |
| 00000 *   | 1 TB  | Intel® [][][][][][][]  | 1   |
| 00000*  | SSD [][]  | Intel® Virtualization Technology   |   |
|   | 1 TB  | (VT-x)[Intel® [][][]   | 1   |
| 00000000  | 1   | OO ARK ID  | 201897  |
|   | 1 TB  |  |   |
|   | PCI Express   |  |   |
| SSD 0000000   | M.2   | 0000   | DDDDLi-lonD   |
| DDD *   | ×   | 0000   | 6   |
|   | ✓   | 0000   | 11.4 V  |
|   | SD, SDHC, SDXC  |  |   |
|   |   | 000000   | 240 W   |
|   | MVIDIA Quadra RTV 4000  | AC   | 50/60 Hz  |
| 000000 *  | NVIDIA Quadro RTX 4000  | AC   | 100 - 240 V   |
|   | 8 GB  | 00000000   | 12.3 A  |
| 00000 *   | •   | 00000000   | 19.5 V  |
|   | Intel   | DC - in∏   | 1   |
| 0000 *  | ✓   |  |   |
| 000000000 *   | Intel® UHD Graphics   | 00/0000  |   |
|   | 350 MHz   |  | ✓   |
|   |   |  |   |
|   | 1150 MHz  |  | ✓   |
| DirectX   | 1150 MHz<br>12.0  |  | ✓<br>✓  |
| 0000000 DirectX 0000<br>000000000 OpenGL 00                                       | 12.0<br>4.5   | 0000   |   |
| DirectX   | 12.0  | 0000   |   |
| 0000000 DirectX 0000<br>000000000 OpenGL 00                                       | 12.0<br>4.5   | 0000<br>0000<br>0000000T - TO  | <b>√</b><br>0 - 35 °C   |
| 0000000 DirectX (100)<br>000000000 OpenGL (10)<br>00000000000000                  | 12.0<br>4.5   | 0000<br>0000<br>0000000T - TO<br>0000000T - TO   | 0 - 35 °C<br>-40 - 65 °C  |
| 0000000 DirectX 000<br>000000000 OpenGL 00<br>000000000000<br>00                  | 12.0<br>4.5<br>0x9BC4   | 0000<br>0000<br>0000000T - TO<br>0000000T - TO   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%  |
| 0000000 DirectX 000<br>000000000 OpenGL 00<br>0000000000000<br>00<br>000000       | 12.0<br>4.5<br>0x9BC4<br>Realtek ALC3281  | 0000<br>000000T - TO<br>000000T - TO<br>0000000(H-H)   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%   |
| 0000000 DirectX 000<br>00000000000000000<br>000000000000000                       | 12.0<br>4.5<br>0x9BC4<br>Realtek ALC3281<br>2   | 0000<br>0000<br>0000000T - TO<br>0000000T - TO<br>00000000(H-H)<br>000000000H - HO             | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m   |
| 0000000 DirectX (000<br>0000000000000000<br>000000000000000<br>0000               | 12.0<br>4.5<br>0x9BC4<br>Realtek ALC3281  | 0000<br>000000T - TO<br>000000T - TO<br>0000000(H-H)<br>0000000<br>00000                       | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m  |
| 0000000 DirectX 0000<br>00000000000000000000000000000000                          | 12.0<br>4.5<br>0x9BC4<br>Realtek ALC3281<br>2   | 0000<br>0000000T - TO<br>0000000T - TO<br>00000000(H-H)<br>0000000<br>000000<br>00000          | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G   |
| 0000000 DirectX (000<br>0000000000000000<br>000000000000000<br>0000               | 12.0<br>4.5<br>0x9BC4<br>Realtek ALC3281<br>2   | 0000<br>0000000T - TO<br>0000000T - TO<br>00000000(H-H)<br>000000000H - HO<br>00000<br>0000    | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G  |
| 0000000 DirectX [00]<br>00000000000000000<br>00<br>00<br>00<br>00<br>00<br>00     | 12.0<br>4.5<br>0x9BC4<br>Realtek ALC3281<br>2<br>2 W ✓  | 0000 0000 000000T - TO 0000000T - TO 0000000(H-H) 00000000 00000 00000 00000 00000             | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G  |
| 0000000 DirectX 000<br>000000000000000<br>00<br>00<br>00<br>00<br>00<br>00<br>0   | 12.0<br>4.5<br>0x9BC4  Realtek ALC3281 2 2 W  | 0000<br>0000000T - TO<br>0000000T - TO<br>00000000(H-H)<br>000000000H - HO<br>00000<br>0000    | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G  |
| 0000000 DirectX 0000 00000000000000000000000000000000                             | 12.0 4.5 0x9BC4  Realtek ALC3281 2 2 W  | 0000 0000 000000T - TO 0000000T - TO 0000000(H-H) 00000000 00000 00000 00000 00000             | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G  |
| 0000000 DirectX 0000 00000000000000000000000000000000                             | 12.0 4.5 0x9BC4  Realtek ALC3281 2 2 W  | 0000 000000T - TO 0000000T - TO 00000000H - HO 000000 00000 00000 00000 00000 00000            | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G  |
| 0000000 DirectX [00] 000000000 OpenGL [0] 000000000000  00 00000 00000 00000 0000 | 12.0 4.5 0x9BC4  Realtek ALC3281 2 2 W    0.92 MP 1280 x 720  | 0000 0000 000000T - TO 0000000T - TO 0000000H - HO 000000 0000 0000 0000 0000 0000             | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G   |
| 0000000 DirectX [00] 0000000000000000000000000000000000                           | 12.0 4.5 0x9BC4  Realtek ALC3281 2 2 W  | 0000 0000 000000T - TO 0000000T - TO 0000000H - HO 000000 00000 00000 00000 00000 00000 0000   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G   |
| 0000000 DirectX [00] 00000000000000000  00 000000000000                           | 12.0 4.5 0x9BC4  Realtek ALC3281 2 2 W  | 0000 0000 0000000T - TD 0000000T - TD 00000000H - HD 000000 00000 00000 00000 00000 00000 0000 | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G   |
| 0000000 DirectX [00] 0000000000000000000000000000000000                           | 12.0 4.5 0x9BC4  Realtek ALC3281 2 2 W    0.92 MP 1280 x 720  | 0000 0000 000000T - TO 0000000T - TO 0000000H - HO 000000 00000 00000 00000 00000 00000 0000   | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G   |
| 0000000 DirectX 0000 00000000000000000000000000000000                             | 12.0 4.5 0x9BC4  Realtek ALC3281 2 2 W  | 0000 0000 000000T - TO 0000000T - TO 0000000H - HO 000000 00000 0000 00000 00000 00000 0000    | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>400 mm<br>263.6 mm<br>2.6 cm<br>2.86 cm            |
| 00000000 DirectX 0000 00000000000000000000000000000000                            | 12.0 4.5 0x9BC4  Realtek ALC3281 2 2 W    0.92 MP 1280 x 720  | 0000 0000 0000000T - TD 0000000T - TD 00000000H - HD 000000 00000 0000 00000 00000 00000 0000  | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>400 mm<br>263.6 mm<br>2.6 cm<br>2.86 cm<br>3.01 kg |
| 00000000 DirectX 0000 00000000000000000000000000000000                            | 12.0 4.5 0x9BC4  Realtek ALC3281 2 2 W    0.92 MP 1280 x 720    HD 30 fps  4G LTE Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 | 0000 0000 000000T - TO 0000000T - TO 0000000H - HO 000000 00000 0000 00000 00000 00000 0000    | 0 - 35 °C<br>-40 - 65 °C<br>10 - 90%<br>0 - 95%<br>-15.2 - 3048 m<br>-15.2 - 10668 m<br>110 G<br>160 G<br>0.66 G<br>1.3 G<br>400 mm<br>263.6 mm<br>2.6 cm<br>2.86 cm            |

| 00000 *    | ✓                   |      | 354 mm  |
|------------|---------------------|------|---------|
| WLAN DODD  | Intel Wi-Fi 6 AX201 |      | 5.02 kg |
| <b>LAN</b> | ✓                   |      |         |
|            | 10,100,1000 Mbit/□  | 0000 | AC 🖂    |
|            | ✓                   |      |         |



5397184452066

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.